

ごみ分析結果

環境省通達「一般廃棄物処理事業に対する指導に伴う留意事項について(環整95号)」に基づき測定

令和7(2025)年度

測定試料採取月日		4/10	5/21	6/12	7/3	8/14	9/2	10/16	11/6	12/18	1/8	2/5	3/12	平均
種類・組成	紙・布類 %	37.8	38.2	36.7	40.4	36.6	44.0	38.3	41.5	43.0	41.1	42.3	39.6	40.0
	ビニール・合成樹脂・ゴム・皮革%	48.2	46.6	49.7	49.8	46.4	41.2	43.4	43.2	44.6	43.5	44.2	42.9	45.3
	木材・わら %	3.4	3.2	3.5	2.6	4.5	3.7	3.2	3.2	3.8	4.1	3.7	2.3	3.4
	ちゅう芥類 %	6.8	5.6	6.0	2.9	5.1	4.6	7.8	7.3	6.1	7.5	5.6	9.2	6.2
	不燃物類 %	2.7	5.0	3.2	3.5	6.1	6.1	6.6	3.0	1.6	3.2	2.4	3.8	3.9
	その他 %	1.1	1.4	0.9	0.8	1.0	0.4	0.7	1.8	0.9	0.6	1.8	2.2	1.1
	単位容積重量 kg/m ³	171.9	148.2	138.0	182.8	146.8	168.8	145.8	138.0	140.5	143.5	143.6	148.5	151.4
三成分	水分 %	46.7	41.8	37.1	54.6	43.5	49.3	39.8	29.3	34.9	27.6	35.3	39.1	39.9
	可燃物 %	44.1	48.6	53.7	35.8	47.3	41.1	51.0	61.5	55.5	62.8	55.5	51.3	50.7
	灰分 %	9.2	9.6	9.2	9.6	9.2	9.6	9.2	9.2	9.6	9.6	9.2	9.6	9.4
低位発熱量(狩郷式) Kcal/kg		2,451	2,731	3,127	1,907	2,639	2,148	2,828	3,518	3,156	3,617	3,145	2,843	2,843
焼却残渣の熱灼減量 %		0.37	0.37	0.41	0.42	0.42	0.35	0.42	0.37	0.38	0.45	0.37	0.39	0.39

令和6(2024)年度

測定試料採取月日		4/16	5/9	6/18	7/9	8/20	9/10	10/1	11/14	12/5	1/16	2/4	3/15	平均
種類・組成	紙・布類 %	36.7	36.5	34.1	37.9	38.7	45.4	42.5	44.7	40.4	41.4	39.3	41.7	39.9
	ビニール・合成樹脂・ゴム・皮革%	45.9	49.8	52.7	47.1	48.2	43.8	44.9	41.7	46.0	43.3	46.7	44.1	46.2
	木材・わら %	2.3	1.9	1.5	2.8	2.7	1.9	2.4	2.1	2.0	2.8	3.2	2.4	2.3
	ちゅう芥類 %	10.2	9.0	8.8	9.7	6.5	5.0	5.2	6.7	7.8	7.5	6.9	8.1	7.6
	不燃物類 %	4.0	1.6	2.1	2.1	3.6	3.4	4.6	4.0	2.5	3.2	2.6	2.2	3.0
	その他 %	0.9	1.2	0.8	0.4	0.3	0.5	0.4	0.8	1.3	1.8	1.3	1.5	0.9
	単位容積重量 kg/m ³	162.7	168.8	153.0	173.5	172.3	175.5	165.2	146.8	161.6	135.8	155.8	162.3	161.1
三成分	水分 %	43.3	42.0	38.1	47.7	54.6	45.6	40.9	34.9	43.2	26.2	37.9	40.4	41.2
	可燃物 %	47.1	48.0	52.3	42.7	35.4	45.2	49.5	55.5	47.2	64.6	52.5	50.4	49.2
	灰分 %	9.6	10.0	9.6	9.6	10.0	9.2	9.6	9.6	9.6	9.2	9.6	9.2	9.6
低位発熱量(狩郷式) Kcal/kg		2,614	2,744	3,089	2,342	1,860	2,451	2,758	3,100	2,625	3,728	2,995	2,807	2,759
焼却残渣の熱灼減量 %		0.35	0.36	0.38	0.39	0.34	0.39	0.38	0.40	0.32	0.36	0.38	0.41	0.37

令和5(2023)年度

測定試料採取月日		4/4	5/18	6/8	7/20	8/8	9/19	10/12	11/2	12/14	1/4	2/13	3/5	平均
種類・組成	紙・布類 %	42.1	40.6	44.7	43.1	47.3	48.3	40.3	39.3	37.5	35.9	42.8	39.2	41.8
	ビニール・合成樹脂・ゴム・皮革%	39.9	44.4	43.0	45.5	38.6	38.5	43.9	45.0	48.1	46.8	39.1	42.5	42.9
	木材・わら %	2.3	1.8	1.1	1.7	3.9	4.5	4.5	3.5	3.3	5.5	2.5	3.2	3.2
	ちゅう芥類 %	11.8	10.4	9.4	7.1	7.1	6.0	9.3	9.0	9.5	7.5	8.2	8.9	8.7
	不燃物類 %	2.2	1.7	1.4	2.2	2.9	2.4	1.6	2.8	1.2	3.1	6.1	5.1	2.7
	その他 %	1.7	1.1	0.4	0.4	0.2	0.3	0.4	0.4	0.4	1.2	1.3	1.1	0.7
	単位容積重量 kg/m ³	155.8	142.5	147.5	162.7	141.5	143.3	127.0	164.5	138.8	130.8	173.0	138.0	147.1
三成分	水分 %	55.6	54.0	52.2	52.6	38.4	34.2	35.9	44.4	41.7	33.5	44.9	33.0	43.4
	可燃物 %	34.4	36.4	37.8	37.4	52.0	55.8	54.5	46.4	49.1	57.3	45.9	57.4	47.0
	灰分 %	10.0	9.6	10.0	10.0	9.6	10.0	9.6	9.2	9.2	9.2	9.2	9.6	9.6
低位発熱量(狩郷式) Kcal/kg		1,667	1,878	1,956	1,963	2,809	3,058	3,073	2,549	2,785	3,315	2,424	3,240	2,560
焼却残渣の熱灼減量 %		0.24	0.29	0.25	0.29	0.40	0.32	0.41	0.37	0.37	0.40	0.38	0.38	0.34